

4 Months: Recognizing Early Motor Delays A Side-by-Side Examination of 4 Month Old Infants

Typical

Atypical

- Exhibits midline and symmetry of head, eyes, arms and legs
- Shows visual engagement and reaches out against gravity
- Demonstrates frequent antigravity extremity movement, dissociating from a more stable trunk



- Displays asymmetry of head and extremities, with head tilted and body curved
- Does not show a balance between extension and flexion
- Moves extremities randomly, but without expected antigravity movement
- Is not visually engaged and does not track object



- Uses upper arm and dissociated lower extremities to assist in facilitated roll
- Sustains sidelying posture with a balance of trunk flexor and extensor muscles
- Lifts head and upper trunk off the surface in preparation for independent rolling



- Exhibits sluggishness in top arm during facilitated roll
- Does not sustain sidelying posture; has inadequate control in position
- Cannot lift head and upper trunk off support surface



- Brings shoulders and upper arms forward with elbows in front of shoulders
- Shows progression toward lower extremity extension and adduction
- Moves arms forward to reach for an object; turns head freely to follow object
- Displays extensor activity
 into the lumbar spine
- Maintains head in midline without head-lag and with good chin tuck
- Lifts legs and activates trunk muscles to assist in maneuver
- Pulls forward with both arms and abdominals to assist further in pull to sit



- Has flexed hips which shifts weight forward while keeping elbows behind shoulders
- Uses only neck extension instead of forearm weight bearing; head lifting is unsustained
- Does not have the capability to shift weight onto lower extremities



- Demonstrates head-lag and cannot sustain head lifting once upright
- Does not pull with arms; no upper extremity participation
- Appears not to anticipate
 movement toward sitting



COPY FREELY, DO NOT CHANGE, MUST ACKNOWLEDGE PATHWAYS.ORG Copyright © 2023 Pathways Foundation

Pathways.org is a 501(c)(3) not-for-profit organization. Permission to cite any part of this work must be obtained from Pathways.org. Materials are provided at no cost; no fees or charges may be associated with any of the Pathways.org materials without prior written approval. www.Pathways.org • Facebook.com/PathwaysDotOrg • Instagram: @PathwaysOrg

Supine

Prone

Pull To Sit

4 Months: Recognizing Early Motor Delays A Side-by-Side Examination of 4 Month Old Infants

Typical

Atypical

- Shows good head control and chin tuck, with head in midline
- Requires support only at hips and pelvis; has extension to midthoracic spine
- Begins to move in anterior-posterior planes and comes back from forward flexion at the hips into upright sitting



- Does not sustain head lifting; cannot turn head to look side-to-side
- Must be held high under the armpits for support
- Uses extremity posturing to compensate for decreased proximal strength



<u>Horizontal Suspension</u>

Protective Extension

Standing

leas

Sitting

- Able to keep neck and trunk extended with head upright to 45 degrees, steady and in midline
- Shows trunk extension into lumbar spine and scapular adduction Freely moves arms and



- · Able to hold head up briefly but cannot maintain it in midline
- Cannot sustain thoracic trunk extension and does not show hip extension
- Cannot maintain trunk extension while moving arms and legs



- Displays extension through neck, trunk and hips that is maintained during forward tilting Cannot bring arms
- fully forward to surface because they are being used to sustain extension



- Unable to sustain strong neck, trunk and hip extension during forward tilting
- Uses excessive asymmetry and flexed arms to sustain extension to avoid hitting his head



- Keeps hips just behind shoulders
- Has active extension into lower thoracic and lumbar spine, but no full hip extension
- Can sustain standing posture; requires minimal support at lower trunk to aid in balance



- Requires support in the upper thoracic area to sustain standing
- Intermittent extension used to produce head lifting
- Shoulders remain well forward of hips
- Lacks adequate hip and trunk control for sustained weight bearing



COPY FREELY, DO NOT CHANGE, MUST ACKNOWLEDGE PATHWAYS.ORG Copyright © 2023 Pathways Foundation

Pathways.org is a 501(c)(3) not-for-profit organization. Permission to cite any part of this work must be obtained from Pathways.org. Materials are provided at no cost; no fees or charges may be associated with any of the Pathways.org materials without prior written approval. www.Pathways.org • Facebook.com/PathwaysDotOrg • Instagram: @PathwaysOrg